

# Hikvision DS-2CD3186G2-ISU 2.8mm H eF O-STD Dome Smart IP

<b>Artikelnummer</b>	999741490
<b>Gewicht</b>	1kg
<b>Länge</b>	1mm
<b>Breite</b>	1mm
<b>Höhe</b>	1mm



## Produktbeschreibung

Hikvision DS-2CD3186G2-ISU 2.8mm H eF O-STD Dome Smart IP

Produktbeschreibung:

Supports Hikvision Embedded Open Platform (HEOP) and importing third party applications Supports 1.5 Tops computing power, 40 MB system memory, 350 MB smart RAM, and 2 GB eMMC storage for sharing resources High quality imaging with 8 MP resolution Excellent low-light performance with powered-by-DarkFighter technology Efficient H.265+ compression technology Clear imaging against strong back light due to 120 dB true WDR technology Focus on human and vehicle target classification based on deep learning Water and dust resistant (IP67) and vandal-resistant (IK10) Empowered by deep learning algorithms, Hikvision AcuSense technology brings human and vehicle targets classificationalarms to front- and back-end devices.

The system focuses on human and vehicle targets, vastly improving alarm efficiencyand effectiveness.

Technische Details:

Allgemeines

Typ

Netzwerkkamera

kompatible Speicherkarten

High Capacity SD (MicroSDHC); Extended Capacity SD (MicroSDHC)

Gewicht

500 g

Video

Videoauflösung

UHD (3840x2160)

Sensoreigenschaften

Pixelzahl Sensor nativ  
8 MP  
Auflösung  
3840 \* 2160  
Technische Daten  
Speicherkarte / interner Speicher  
2048 MB  
Sensortyp  
CMOS

## Weitere Bilder

